2019;21(3) : 210

ADOLESCENT MEDICINE

HEADACHE IN ADOLESCENTS

*Amitha Rao Aroor **Preeti M Galagali

Abstract: Headache is a common complaint in adolescents seeking medical advice. Primary headache is more common at this age and migraine is the commonest among them. However, detailed clinical evaluation is required to rule out secondary causes. This article focuses on the approach to adolescent headache with specific emphasis on migraine.

Keywords: Headache, Migraine

- * Professor in Pediatrics and Adolescent Specialist, A.J Institute of Medical Sciences, Mangalore.
 - email: amithaaroor@gmail.com
- ** Director and Consultant Adolescent Health Specialist, Bangalore Adolescent Care & Counselling Centre, Bangalore.

Points to Remember

- Primary headache is more common than secondary headache during adolescence, with migraine being the commonest.
- Evaluation requires detailed history, HEEADSSS screening and physical examination to differentiate primary from more serious secondary causes.
- Treatment of migraine should be individualized based on the individual and headache characteristics.
- Secondary headache needs detailed evaluation with imaging and other investigations.

References

- Headache Classification Committee of the International Headache Society (IHS), The International Classification of Headache Disorders, 3rd edn (beta version). Cephalalgia 2013; 33: 629-808.
- 2. Jin Z, Shi L, Wang YJ, Yang LG, Shi YH, Shen LW, et al. Prevalence of headache among children and adolescents in Shanghai, China. J Clin Neurosci 2013; 20(1):117-121.
- Robert Kliegman, Joseph St. Geme. Nelson textbook of paediatrics, 2019; 2-Volume set, 21st edn/Philadelphia PA: Elsevier/Saunders.
- 4. Global Burden of Disease Study 2013 Collaborators. Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet 2015; 386(9995):743-800.
- 5. Blume HK. Pediatric headache: a review. Pediatr Rev 2012; 33:562-576.
- 6. Hershey AD. Current approaches to the diagnosis and management of paediatric migraine. Lancet Neurol 2010; 9(2):190-204.
- Winner P, Rothner AD, Saper J, Nett R, Asgharnejad M, Laurenza A, et al. A randomized, double-blind, placebocontrolled study of sumatriptan nasal spray in the treatmentof acute migraine in adolescents. Pediatrics 2000; 106(5):989-997.
- 8. Linder SL, Mathew NT, Cady RK, Finlayson G, Ishkanian G, Lewis DW. Efficacy and tolerability of

- almotriptan in adolescents: a randomized, double-blind, placebo-controlled trial. Headache 2008; 48: 1326-1336.
- Ahonen K, Hämäläinen ML, Eerola M, Hoppu K. A randomized trial of rizatriptan in migraine attacks in children. Neurology 2006; 67: 1135-1140.
- Linder SL, Dowson AJ. Zolmitriptan provides effective migraine relief in adolescents. Int J Clin Pract 2000; 52:466-469.
- Lewis DW, Winner P, Hershey AD, Wasiewski WW. Efficacy of zolmitriptan nasal spray in adolescent migraine. Adolescent Migraine Steering Committee. Pediatrics 2007; 120:390-396.
- 12. Richer L, Billinghurst L, Linsdell MA, Russell K, Vandermeer B, Crumley ET, et al. Drugs for the acute treatment of migraine in children and adolescents. Cochrane Database Syst Rev 2016; 4:CD005220.
- 13. Derosier FJ, Lewis D, Hershey AD, Winner PK, Pearlman E, Rothner AD, et al. Randomized trial of sumatriptan and naproxen sodium combination in adolescent migraine. Pediatrics 2012; 129(6):e1411–1420.
- 14. Pasculli M, Striano P, Ledda MG. Pediatric Migraine Treatment: An Updated Review. Neonat Pediatr Med 2018; 5:178.